

Work Order ID 56616

March 2, 2010 10:55:12 AM



Page 1

Item ID: D350-602-011

Accept



Setup Start



Revision ID:

Stop



Item Name: Heli-Utility-Pod (LH/RH)

Start Date: 3/02/10 Start Qty: 1.00



Cust Item ID:

Required Date: 4/02/10 Req'd Qty: 1.00



Customer:

Reference:

Approvals:

Process Plan:

[Signature]

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

N/A

Rev N/A

100



DC

Document Control

DOCUMENT CONTROL

0.00

Memo

0.00

Photocopy bluefile & type labels per PPP D350-602-011 CHG005

006

Sidostoy

HJ for CL 10/04/21

110



Packaging

Packaging

Pick Kit

0.00

Memo

0.00

16-5-4 SL

120



QC

Quality Control

QC4- 100% Inspect kits for completeness

0.00

Memo

0.00

-Sidostoy

(C)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 56616

March 2, 2010 10:55:13 AM



Page 2

Item ID: D350-602-011

Accept



Setup Start



Revision ID:

Stop



Item Name: Heli-Utility-Pod (LH/RH)

Start Date: 3/02/10 Start Qty: 1.00



Cust Item ID:

Required Date: 4/02/10 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130



Packaging

Packaging

0.00

Memo

0.00

Identify and pack for shipping as per PPP D350-602-011
☐ Location: ☐ PPP Rev: 12

Packaging

140



QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

10/05/07

MF
10-5-6

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

March 2, 2010 10:55:12 AM

Page 1

Work Order ID: 56616

Parent Item: D350-602-011

Parent Item Name: Heli-Utility-Pod (LH/RH)





Comments: IPP Rev:F Removed Travellers 06-04-06 JLM
IPP Rev:G Added D3495-1 06-05-17 JLM

Start Date: 3/02/10

Required Date: 4/02/10

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D2694 		Manufactured	No			120	Each	0.0000	1.0000			
Pod, 350/407										54592		
D3495-1 		Manufactured	No			110	Each	12.0000	1.0000			
Placard												

Warehouse

Location

Main Warehouse

ST

43778

55564

Loc Qty

12

2

10

120

Each

Loc Code

1.0000

1.0000

43778

58330

10-5-4

~~58330~~

K10002

Pod Kit, 350

at 10/2/10

Manufactured No

Warehouse

Location

Main Warehouse

FG

53037

Loc Qty

1

1

Loc Code

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

L Lacelle

From: Chris Provencal [cprovencal@dartaero.com]
Sent: April 20, 2010 3:46 PM
To: 'L Lacelle'; 'Mike Petsche'; 'David Shepherd'; 'Bill Beckett'; Susanne Sheldon (Susanne Sheldon); 'Eric Charbonneau'; 'David Duval'
Cc: 'Dan Stow'; mfauteux@dartaero.com; 'Jean Luc Menard'; 'Marc Bellavance'; 'Juan Hurtado'; 'Robert Fuentes'; 'Harvey Siemens'; 'Kevin Barton'; 'Jason Murdoch'; 'Sian Willems'
Subject: URF D2694
Attachments: URF D2694-100420.xls

Dwg D2694 Rev. H is under review per attached sheet. D350-602-011/-013/-014 & D407-627-013 are also under review.

Linda: D350-602-011 B/N 56616 needs to be @ CHG 006, and include new clamps per DSI 9515 (not released yet).

-Chris

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-602 REV E (OR EARLIER REV.)
AND INSTRUCTIONS FOR CONTINUOUS AIRWORTHINESS ICA-D350-602 REV. 0

REF. TCCA STC: SH93-97

REF. FAA STC: SR01144NY

REF. EASA STC: EASA.IM.R.S.01290

PURPOSE

Dart Heli-Utility-Pods D350-602-011 @ CHG 006 and D350-602-013/-014 @ CHG 002 have new attachment lugs.

CHANGE

The D2230-1/-3 clamps are replaced with wider D4091-1/D3910-3 lugs. The abrasion strip is replaced with D3984-030 rubber extrusion. The D2462-1700 Neoprene Seal is replaced with D2461-1700 Neoprene 'D' Seal. The modified parts list for Installation Instruction D350-602 and Instructions for Continued Airworthiness ICA-D350-602 is shown on sheet 2 of this service instruction. Install the lugs as shown in Figure 1 & 2 of this service instruction. The pod should otherwise be installed per D350-602 and maintained per ICA-D350-602.

The weight and balance for Dart Heli-Utility-Pods D350-602-011 @ CHG 006 and D350-602-013/-014 @ CHG 002 (or later) are updated as follows:

5.0 WEIGHT AND BALANCE (D350-602 Rev. E)

25.6 WEIGHT AND BALANCE (ICA-D350-602 Rev. 0)

The following weight and balance information is for the Dart *Heli-Utility-Pod™*. The weight and balance of any parts that are removed from the aircraft to perform this installation or equipment installed/stowed in the pods are the responsibility of the installer.

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D350-602-011 @ CHG 006	61.2 lb	±51.0 in	±3121 in-lb	135 in	8262 in-lb
Heli-Utility-Pod™ LH or RH	27.8 kg	±1.29 m	±35.9 m-kG	3.43 m	95.4 m-kG
D350-602-013 @ CHG 002	61.2 lb	-51.0 in	-3121 in-lb	135 in	6872 in-lb
Heli-Utility-Pod™ LH	27.8 kg	-1.29 m	-35.9 m-kG	3.43 m	79.2 m-kG
D350-602-014 @ CHG 002	61.2 lb	+51.0 in	+3121 in-lb	135 in	6872 in-lb
Heli-Utility-Pod™ RH	27.8 kg	+1.29 m	+35.9 m-kG	3.43 m	79.2 m-kG

LUG UPGRADE KIT

The Dart DSI-9515-011 kit is available to upgrade D350-602-XXX Heli-Utility-Pods made to earlier change numbers with D4091-1 / D3910-3 lugs. The lugs should be installed per Figure 1 & 2 of this service instruction.

QTY	Part Number	Description
-011		
X	DSI-9515-011	LUG UPGRADE KIT
4	D4091-1	LUG
4	D3910-3	LUG
8	D3984-030	RUBBER EXTRUSION
16	AN4-14A	BOLT
32	AN960JD416	WASHER (OR NAS1149DO463J)
16	MS21042L4	NUT (OR MS21042-4)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4

B	NAS1149DO463J WAS xDN432J & CHG QTY	CP	10.04.23
A	NEW ISSUE	CP	10.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>92</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>92</i>		
CHECKED	<i>92</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>N/A</i>	DSI 9515	SHEET 1 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

56616

6.0 PART LIST (D350-602 Rev. E)
25.7 PARTS LIST (ICA-D350-602 Rev. 0)

Qty D350-602 -011	Qty D350-602 -013	Qty D350-602 -014	Qty DSI9052 -013	Part Number	Description
X				D350-602-011	HELI-UTILITY-POD™ (FITS BOTH LH/ RH)
	X			D350-602-013	HELI-UTILITY-POD™ LH
		X		D350-602-014	HELI-UTILITY-POD™ RH
			X	DSI9052-013	QUICK RELEASE KIT
1				D2694	POD ASSEMBLY (LH OR RH)
	1			D3322-041	POD ASSEMBLY (LH)
		1		D3322-042	POD ASSEMBLY (RH)
1	1	1		*D2202-1	POD LID
1				*D2202-3	POD BASE
	1	1		*D2202-5	POD BASE
5	5	5		*D2204-9	LATCH
1	1	1		*D2429-041	SPRING CLIP ASSEMBLY
1	1	1		*D2461-1700	NEOPRENE 'D' SEAL
5	5	5		*D2528-1	BACKER PLATE
4	4	4		*D2528-3	BACKER PLATE
1	1	1		*D2569	HINGE
1	1	1		*D3007-041	PROP ASSEMBLY
1	1	1		** D2012-107	CLEVIS
2	2	2		** D2022-101	SPACER
1	1	1		** D2705	SUPPORT BRACKET
1	1	1		** D3007-1	STRUT
1	1	1		** D3015-3	LOCKNUT
1	1	1		** AN4-10A	BOLT
1	1	1		** AN960JD416	WASHER
1	1	1		** MS21042L4	NUT (OR MS21042-4)
1	1	1		** SL69-BS	BALL STUD
1	1	1		** AN960JD516	WASHER
19	19	19		AN4-5A	BOLT
1	1	1		AN4-6A	BOLT
2	2	2		AN526C632R7	SCREW
21	21	21		AN960JD416	WASHER
2	2	2		AN960JD6	WASHER
2	2	2		MS21042L06	NUT (OR MS21042-06)
20	20	20		MS21042L4	NUT (OR MS21042-4)
4	4	4		D4091-1	LUG
4	4	4		D3910-3	LUG
1	1	1		D2258-160	LABEL
1	1	1		D2324-1	STRUT ASSEMBLY
2	2	2		D2523	MOUNTING BRACKET
2	2	2		D2524	SIDE PLATE
1	1	1		D3495-1	PLACARD
8	8	8		D3984-030	RUBBER EXTRUSION
4	4	4		AN3-7A	BOLT
8	8	8		AN3-15A	BOLT
1	1	1		AN4-12A	BOLT
16	16	16		AN4-14A	BOLT
4	4	4		AN4-16A	BOLT
24	24	24		AN960JD10	WASHER
42	42	42		AN960JD416	WASHER
12	12	12		MS21042L3	NUT (OR MS21042-3)
21	21	21		MS21042L4	NUT (OR MS21042-4)
			1	BLRS-010	QUICK RELEASE PIN (1" GRIP)
			3	BLRS-020	QUICK RELEASE PIN (1.5" GRIP)

* INCLUDED IN D2694 OR D3322-041/-042 POD ASSEMBLIES LISTED ABOVE
** INCLUDED IN D3007-041 PROP ASSEMBLY LISTED ABOVE


CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4

DESIGN	<i>qp</i>	DART AEROSPACE LTD	
DRAWN	<i>qp</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9515	SHEET 2 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

50616



SECTION X-X
NOT TO SCALE









FIGURE 1: Aft Crosstube Attachment
(Installation of D4091-1 / D3910-3 Lugs)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 10.04.23
CERT. NO.: SH93-97
ISSUE NO.: 4


DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9515	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

REV. B
2 OF 4

REV. B
2 OF 4

REV. B
2 OF 4

30616



SECTION X-X
NOT TO SCALE




FIGURE 2: Fwd Crosstube Attachment
(Installation of D4091-1 / D3910-3 Lugs)

CANADA DEPARTMENT OF TRANSPORT AIRCRAFT CERTIFICATION BRANCH DAO # 01-O-01	
APPROVED	
BY:	<i>[Signature]</i>
D. SHEPHERD (DE # 02)	
DATE:	10.04.23
CERT. NO.:	SH93-97
ISSUE NO.:	4

DESIGN	<i>92</i>	DART AEROSPACE LTD	
DRAWN	<i>92</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	<i>N/A</i>	DSI 9515	SHEET 4 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	LUG MODIFICATION	NTS
DATE	10.04.23	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

56616